### PDS: KORLUBE® ATF TYPE SP-IV FULLY SYNTHETIC

# **Product Data Sheet**

# **KOR**LUBE ® ATF TYPE SP-IV FULLY SYNTHETIC

**Full Synthetic Automatic Transmission Fluid** 

### **Product Description**

**KOR**LUBE® ATF TYPE SP-IV FULLY SYNTHETIC is a full synthetic automatic transmission fluid, specially formulated to provide optimum performance and protection for the automatic transmissions requiring Hyundai SP-IV and Kia SP-IV.

#### **Features & Benefits**

#### HIGH PERFORMANCE

- Optimized friction properties provides smooth and comfortable gear shifting and prevents transmission vibration.
- Excellent thermal and oxidation stability keeps transmission clean to help provide outstanding performance even under severe driving conditions.

#### HIGH PROTECTION

- Excellent low-temperature fluidity helps to provide immediate protection at starting in cold weather.

#### LONG TRANSMISSION LIFE

- Outstanding wear protection helps to extend transmission life.
- Optimized friction properties help to extend transmission life.

### LONG FLUID LIFE

- Excellent oxidation and thermal stability helps to extend fluid life.
- Outstanding shear stability helps to keep viscosity even under severe heavy duty and high temperature operating conditions.

#### **SAVE FUEL**

- Optimized friction properties help to consume less fuel.
- Excellent low temperature fluidity helps to consume less fuel.

### **SAVE EARTH**

- Helps to protect environment by consuming less fuel and creating less carbon emission.

#### **Applications**

- Automatic transmissions requiring Hyundai SP-IV and Kia SP-IV

18/MAY/2016 Page 1 / 2



PDS: KORLUBE® ATF TYPE SP-IV FULLY SYNTHETIC

# **Specifications**

**KOR**LUBE® ATF TYPE SP-IV FULLY SYNTHETIC meets or exceeds the requirements of the following specifications :

	ATF TYPE SP-IV FULLY SYNTHETIC
HYUNDAI SP-IV	$\checkmark$
KIA SP-IV	$\checkmark$

# **Typical Properties**

	ATF TYPE SP-IV FULLY SYNTHETIC
Viscosity @100℃, cSt	5.48
Viscosity @40°C, cSt	26.1
Viscosity @-30℃, cP	7,600
Viscosity Index	153
Flash Point, ℃	202
Pour Point, ℃	- 50
Density @15°C, g/cm3	0.852
Color	RED

# **Health & Safety**

This product is not expected to produce adverse effect on health when used for the intended application and recommendations. Do not use for the purpose other than its intended application. When disposing of used product, please take care to protect the environment.

18/MAY/2016 Page 2 / 2