

Product Data Sheet

KORLUBE® SG

High Performance Motor Oil

Product Description

KORLUBE® SG is a high performance conventional motor oil, formulated to provide excellent performance and protection for vehicles in all ages under various operating conditions.

It is engineered to provide long engine life and outstanding protection in a wide variety of weather, temperatures, and driving conditions of vehicles of all ages. It provides outstanding protection against sludge, engine rust and corrosion under various operating conditions.

KORLUBE® SG is available with 2 multi-viscosity grades : 15W40 and 20W50

Features & Benefits

- Premium motor oil with refined base oil and special additive package
- Extends engine life
- Excellent wear protection for vehicles in all ages
- Outstanding high temperature protection
- Excellent high temperature performance without oil thickening and breakdown
- Significant reduction of oil consumption and loss
- Easy starting and oil circulation in cold weather to protect vital engine parts

Applications

- Passenger Car with Gasoline Engine
- Light Truck / SUV with Gasoline Engine
- CNG/LPG Vehicles
- Motor Cycle with 4-Stroke Engine
- Portable Power Equipments
- Specially Recommended for Vehicles with DOHC, EFI, Turbocharger/Intercooler

Specifications

KORLUBE® SG meets or exceeds the requirements of the following specifications :

	15W-40	20W-50
API SG	√	√

API SF	√	√
API CD	√	√
ACEA A3/B4	√	√

Typical Properties

	15W-40	20W-50
API	SG, CD	SG, CD
ACEA	A3/B4	A3/B4
Viscosity @100°C, cSt	14.9	19.1
Viscosity @40°C, cSt	112.5	153
Viscosity Index	137	142
Flash Point, °C	228	252
Pour Point, °C	- 32.5	- 30
Density @15°C, g/cm3	0.868	0.875

Health & Safety

This product is not expected to produce adverse effect on health when used for the intended application and recommendations. Do not use for the purpose other than its intended application. When disposing of used product, please take care to protect the environment.